

Tel: +44 (0)1386 842000  
 Fax: +44 (0)1386 842100  
[www.campdenbri.co.uk](http://www.campdenbri.co.uk)

## CAMPDEN BRI RETAILER SUPPLEMENTARY AUDIT SCOPE OF COMPLIANCE

Following the audit of Eurofins Express Micro Science, Linlithgow, conducted on 28 and 29 February 2024, compliance has been awarded for the following tests.

**Date of issue: 16 May 2024**  
**Scope valid until: 31 May 2025**  
**Annual surveillance RSA visit due: February 2025**

| Test Title   | Lab Method Ref No. | Source Method   |
|--|--------------------|---|
| <b>Food Matrices</b>                                   |                    |   |
| <u>Enumeration of:</u>                                 |                    |   |
| Coagulase Positive Staphylococci                       | 15.2.5             | ISO 6888-1:2021+A1:2023<br>with confirmation by latex (Staphylect)  |
| <i>Clostridium perfringens</i>                         | 15.2.10            | ISO 7937:2004<br>with confirmation by LGM and MNM   |
| Presumptive <i>Bacillus cereus</i>                     | 15.2.70            | ISO 7932:2004+A1:2020   |
| <i>Listeria</i> spp. including <i>L. monocytogenes</i> | 15.2.13            | ISO 11290-2:2017<br>incorporating confirmation by biochemical gallery (Microbact 12L)                                 |
| <u>Detection of:</u>                                   |                    |   |
| <i>Listeria</i> spp. including <i>L. monocytogenes</i> | 15.2.13            | ISO 11290-1:2017<br>incorporating confirmation by biochemical gallery (Microbact 12L)                                 |
| <i>Listeria</i> spp. including <i>L. monocytogenes</i> | 15.2.53            | Listeria Precis AFNOR UNI 03/04-04/05<br>with confirmation by biochemical gallery (Microbact 12L)                     |
| Salmonella spp.  | 15.2.6             | ISO 6570-1:2017 + A1: 2020<br>with confirmation by serology and biochemical gallery (Microbact 12A)                   |
| Salmonella spp.  | 15.2.7             | SOLUS Salmonella ELISA AFNOR SOL 37/01-06/13<br>with confirmation by serology and biochemical gallery (Microbact 12A) |
| Enteropathogenic <i>Vibrio</i> spp.                    | 15.2.71            | ISO 21872-1:2017  |

Tel: +44 (0)1386 842000  
 Fax: +44 (0)1386 842100  
[www.campdenbri.co.uk](http://www.campdenbri.co.uk)

| Test Title   | Lab Method Ref No. | Source Method  |
|--|--------------------|--|
| <b>Environmental Swabs</b>                             |                    |  |
| <u>Enumeration of:</u>                                 |                    |  |
| Coagulase Positive Staphylococci                       | 15.2.5             | ISO 6888-1:2021+A1:2023<br>with confirmation by latex (Staphylect)   |
| <i>Listeria</i> spp. including <i>L. monocytogenes</i> | 15.2.13            | ISO 11290-2:2017<br>incorporating confirmation by biochemical gallery<br>(Microbact 12L)                                 |
| <u>Detection of:</u>                                   |                    |  |
| <i>Listeria</i> spp. including <i>L. monocytogenes</i> | 15.2.13            | ISO 11290-1:2017<br>incorporating confirmation by biochemical gallery<br>(Microbact 12L)                                 |
| <i>Listeria</i> spp. including <i>L. monocytogenes</i> | 15.2.53            | Listeria Precis AFNOR UNI 03/04-04/05<br>with confirmation by biochemical gallery (Microbact 12L)                        |
| Salmonella spp.  | 15.2.6             | ISO 6570-1:2017 + A1: 2020<br>with confirmation by serology and biochemical gallery<br>(Microbact 12A)                   |
| Salmonella spp.  | 15.2.7             | SOLUS Salmonella ELISA AFNOR SOL 37/01-06/13<br>with confirmation by serology and biochemical gallery<br>(Microbact 12A) |
|  |                    |  |